



AORNLED/PL1

Orno LED Portable Lantern - 5W - Small - Cool White



Features

Modern portable lantern range suitable for domestic applications

Anodised powder coated die-cast frame construction, c/w polycarbonate enclosure for enhanced durability

Chargable USB battery power ensures no installation or maintenance is required

A selection of light outputs can be selectable via an external touch pad

USB 2.0 output allows a smartphone to be charged from the fitting

Upto 6 hours of battery life

LED lifespan L70 36,000 hours

General Information

Lamp Type	LED
Colour / Finish	Graphite
IP Rating	IP54
Class Protection	3
Internal / External	Internal/External
Surface / Recessed / Suspended	Surface
LED Life	L70 36,000hrs
CE Mark	Yes
Length (mm)	267
Width (mm)	180
Depth (mm)	180

Technical Information

Wattage	5W
Lumens Delivered	353lm
Lm/W	71lm
CRI	Ra 80
CCT	4000K
Input	3.7VDC
Operating Temp	-20°C to 45 °C

Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for suspended mounting	No
Suitable for ceiling mounting	No
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light source	Yes
Voltage type	DC
Nominal voltage	3.7-3.7 V
Degree of protection (IP)	IP54
Protection class	III
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Max. system power	5 W
Rated luminous flux acc. IEC 62722-2-1	353 lm
Colour of light	White
Colour temperature	4000-4000 K
Colour rendering index CRI	80-89
Luminaire efficacy	71 lm/W
Width	180 mm
Height/depth	180 mm
Length	267 mm

Datasheet generated from <https://onetimepim.com> last updated Tuesday, June 23, 2020 10:36:29 AM

